This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Axon Guidance Defects in NFATc2/3/4 Mutant Embryos



Pharmacological Calcineurin Inhibition during Embryonic Development Frague Similar to those in NFATc2/c3/c4 Mutant Embryos.



Cell Autonomous Defect of Sensory Axon Growth




Figure 3 of 16





Figure 4 of 16



Neurite Outgrowth Arrest after Calcineurin Inhibition Occurs with a Several Hour Delay




Figure 5 of 16

- in or sphior kegalar - tr., b. disse. Transcriptomat -crivation




Figure 6 of 16

Neurotrophins Regulate NFATc Translocation and Transcriptional Activation





Figure 6 of 16

Inhibition of Calcineurin Blocks Netrin-dependent Growth of Dorsal Spinal Cord Explants






Figure 8 of 16

Axon Guidance Defects in NFATe2/3/4 Mutant Embryos




Figure 9 of 16




Figure 10 of 16

Inhibition of the NFATc/Calcineurin Pathway Does Not Affect Semaphorin-Induced Growth Cone Collapse




Figure 11 of 16




Figure 12 of 16




Figure 13 of 16




Figure 14 of 16




Figure 15 of 16




Figure 16 of 16